


Gravity[™] 2-Inch

High Performance Architectural Downlight & Cylinders





Working with two-Inch architectural downlighting has never been easy...until now. Meet the two-Inch Gravity. It has power, adjustability and looks to match. A minimalist 1mm specification grade reflector is paired up with a deep-seated light engine that is capable of producing 1,500 lumens with minimal glare and maximum adjustability.

7° 30,000 CBCP



Industry First Fold Frame

The Gravity™ 2-inch Fold Frame is designed to take complexity out of below ceiling installations

Adjustable Collar Heights

Features In-Field Adjustment with no loss in performance







1-1/4 Inch Ceiling

Class Leading 45° Tilt

Full 360° Rotation & 45° Tilt for those hard to reach areas



360° Rotation





Award Winning 7°

Wide selection of field changeable optics. With a narrow spot beam delivering over 30,000 CBCP





Spot









Narrow Flood

Flood

Very Wide Flood

Clean, Sleek & Comfortable Trims

Minimalist 1mm specification grade aluminum trims optimized for visual comfort







1-inch Deep Cone



5/8-inch Regressed Cone



Round



Square



Round Wall Wash



Square Wall Wash



White



Black



Haze



Wheat

Small Size, Big Specs



Color Reliability

2 SDCM Binning Ensures Color Consistency **Across Luminaires**











Multiple Control Options

.1% DIMMING



1% DIMMING





Gravity[™] 2-inch Downlights

High Performance 2-Inch Architectural Downlighting

The Gravity family of luminaires brings powerful performance to 2-inch downlighting. Featuring downlight, adjustable and wall wash configurations, Gravity 2-inch is versatile enough to meet any lighting application. Designed for below ceiling installation, Gravity 2-inch features an innovative fold frame design and a compact housing. Specification grade trim and optic options ensure precision performance and an elegant finish.

Extreme Flexibility

Toolless adjustability with 360° of rotation & 45° of tilt

Easy Installation

Spring actuated fold frame designed for below ceiling installations

Field Changeable Optics & Accessories

Dedicated high performance 7° narrow spot and interchangeable TIR optics ranging from 16° to 60°



GD2DR 2-Inch Downlight



GD2AR 2-Inch Adjustable



GD2WR 2-Inch Wall Wash



GD2DS 2-Inch Square Downlight




GD2WS 2-Inch Square Adjustable



GD2WS 2-Inch Square Wall Wash

Electrical Data (Nominal Delivered Lumens)



Fixture Type







Wall Wash

Aperture Types





Round Square

Housings Type





New Construction Non-IC

New Construction IC-Rated



Field Changeable Optics







Very Wide

Fĺood



Trim Finishes

















Gravity™ 2-inch Cylinders

High Performance 2-Inch Architectural Cylinders

Designed to complement the new Gravity 2-inch downlight, the Gravity 2-inch cylinders provide architectural illumination in a sleek, elegant housing. Offering high performance and tight beam control in a compact design. Gravity 2-inch cylinders enhance any space.

Sleek Architectural Design

Beautifully constructed 6 & 12-inch extruded aluminum cylinder with specification grade trims in elegant finishes

Consistent Family Performance

Utilizes the same trimless trims as the Gravity 2-inch downlight

Field Changeable Optics & Accessories


Dedicated high performance 7° Narrow Spot and interchangeable TIR optics ranging from 16° to 60°




Electrical Data (Nominal Delivered Lumens)



Height Options




Mounting Options




Cylinder Finishes



Field Changeable Optics



Trim Finishes





Intense Lighting 3340 E. La Palma Ave. Anaheim, CA 92806

tel 714 630-9877 fax 714 630-9883

info@intenselighting.com www.intenselighting.com

A Leviton Company www.leviton.com

Printed in the U.S.A ©2018. Intense Lighting, LLC. All Rights Reserved.

INT0319-GR2-1